

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1-22 (cancelled)

23. (previously presented): A piano key finder and chord indicator, comprising:
- an outer sleeve, said outer sleeve being formed of semi-rigid material and having a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity;
  - said interior cavity being open at said first and second ends of said outer sleeve;
  - said outer sleeve having a representation of a portion of a piano keyboard and first and second sets of openings penetrating at least one of said front and rear surfaces;
  - a slide member, said slide member having first and second ends and being sized and shaped to fit slidably within said interior cavity;
  - said slide member having a first portion and a second portion;
  - said first portion carrying alphabetic representations, said representations being sized and shaped to be visible through said first set of openings in said outer sleeve as said slide member is moved through said outer sleeve;
  - said alphabetic representations illustrating a selected musical key, a chromatic scale, a major chord and a minor chord associated with said musical key;
  - said second portion having a first series of markings, said first markings being sized and shaped to be visible through said second set of openings in said outer sleeve as said slide member is moved through said outer sleeve;
  - said first markings indicating piano keys associated with the chromatic scale associated with said selected musical key; and

first and second enlarged end sections, said enlarged end sections being attached at said first and second ends of said slide member; said enlarged end sections being sized and shaped to prevent their passage through said interior cavity;

whereby, when the slide member is moved through the interior cavity to permit alignment of the alphabetic representations with the first set of openings, the slide member will remain permanently and slidably attached to the outer sleeve; and

whereby, when a user moves the slide member within said inner cavity of said outer sleeve, aligning one of the first set of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key, the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key will be visible through the first set of openings and the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings.

24. (previously presented): A piano key finder and chord indicator, comprising:

an outer sleeve, said outer sleeve being formed of semi-rigid material and having a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity;

said interior cavity being open at said first and second ends of said outer sleeve; said outer sleeve having a representation of a portion of a piano keyboard and first and second sets of openings penetrating at least one of said front and rear surfaces;

said second set of openings being of a first predetermined shape;

a slide member, said slide member having first and second ends and being sized and shaped to fit slidably within said interior cavity;

said slide member having a first portion and a second portion;

said first portion carrying alphabetic representations, said representations being sized and shaped to be visible through said first set of openings in said outer sleeve as said slide member is moved through said outer sleeve; said alphabetic representations illustrating a selected musical key, a chromatic scale, a major chord and a minor chord associated with said musical key; said second portion having a first series of markings, said first markings being sized and shaped to be visible through said second set of openings in said outer sleeve as said slide member is moved through said outer sleeve; said first markings indicating piano keys associated with the chromatic scale associated with said selected musical key;

a third set of openings in said outer sleeve, said third set of openings being of a second predetermined shape and disposed upon said representation of a portion of a piano keyboard; and

a second series of markings, said second series of markings being disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key when the sleeve member is aligned with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings; and

whereby, when a user moves the slide member within said inner cavity of said outer sleeve, aligning one of the first set of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key, the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key will be visible through the first set of openings and the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings.

25. (previously presented): A piano key finder and chord indicator as described in Claim 24, further comprising:

- a fourth set of openings in said outer sleeve, said fourth set of openings being of a third predetermined shape and disposed upon said representation of a portion of a piano keyboard; and
- a third series of markings, said third series of markings being disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key when the slide member is aligned with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings.

26. (previously presented): A piano key finder and chord indicator, comprising:

- an outer sleeve, said outer sleeve being formed of semi-rigid material and having a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity;
- said interior cavity being open at said first and second ends of said outer sleeve;
- said outer sleeve having a representation of a portion of a piano keyboard and first and second sets of openings penetrating at least one of said front and rear surfaces;
- a slide member, said slide member having first and second ends and being sized and shaped to fit slidably within said interior cavity;
- said slide member having a first portion and a second portion;
- said first portion carrying alphabetic representations, said representations being sized and shaped to be visible through said first set of openings in said outer sleeve as said slide member is moved through said outer sleeve;
- said alphabetic representations illustrating a selected musical key, a chromatic scale, a major chord and a minor chord associated with said musical key;

said second portion having a first series of markings, said first markings being sized and shaped to be visible through said second set of openings in said outer sleeve as said slide member is moved through said outer sleeve; said first markings indicating piano keys associated with the chromatic scale associated with said selected musical key; said first series of markings being of a first predetermined color; a fifth set of openings in said outer sleeve, said fifth set of openings being disposed upon said representation of a portion of a piano keyboard; and a fourth set of markings, said fourth set of markings being of a second predetermined color and being disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key when the slide member is aligned with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings; and whereby, when a user moves the slide member within said inner cavity of said outer sleeve, aligning one of the first set of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key, the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key will be visible through the first set of openings and the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings.

27. (previously presented): A piano key finder and chord indicator as described in Claim 26, further comprising:

a sixth set of openings in said outer sleeve, said sixth set of openings being disposed upon said representation of a portion of a piano keyboard; and a fifth series of markings, said fifth series of markings being of a third predetermined color and disposed upon said second portion of said slide

member and positioned so as to indicate the piano keys associated with a minor chord for a selected key when the slide member is aligned with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings.

28. (previously presented): A piano key finder and chord indicator as described in Claim 27, further comprising:

- a fifth and sixth set of openings in said outer sleeve, said fifth and sixth set of openings being disposed upon said representation of a portion of a piano keyboard; and

- a fourth and fifth series of markings, said fourth and fifth series of markings being of second and third predetermined colors respectively, and disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key when the slide member is aligned with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings.

29. (previously presented): A method of displaying an alphabetic representation of a chromatic scale, major and minor chords and identifying piano keys associated with a selected musical key, comprising steps of:

- providing an outer sleeve, said outer sleeve being formed of semi-rigid material and having a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity;

- said interior cavity being open at said first and second ends of said outer sleeve;

- said outer sleeve having a representation of a portion of a piano keyboard and first and second series of openings penetrating at least one of said front and rear surfaces;

providing a slide member, said slide member having first and second ends and being sized and shaped to fit slidably within said interior cavity;  
said slide member having a first portion and a second portion;  
marking said first portion with alphabetic representations, said representations being sized and shaped to be visible through said first set of openings in said outer sleeve as said slide member is moved through said outer sleeve;  
said alphabetic representations illustrating a selected musical key, a chromatic scale, a major chord and a minor chord associated with said musical key;  
providing said second portion with a first series of markings, said first markings being sized and shaped to be visible through said second set of openings in said outer sleeve as said slide member is moved through said outer sleeve;  
said first markings indicating piano keys associated with the chromatic scale associated with said selected musical key;  
moving said slide member within said inner cavity of said outer sleeve to align one of the first series of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key;  
displaying the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key through the first series of openings;  
displaying the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings;  
providing the second set of openings in the outer sleeve in a first predetermined shape;  
providing a third set of openings in said outer sleeve, said third set of openings being of a second predetermined shape and disposed upon said representation of a portion of a piano keyboard;  
providing a second set of markings, said second set of markings being disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key;

aligning said sleeve member with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings; and  
displaying the piano keys associated with the major chord associated with the selected musical key.

30. (previously presented): A method of displaying an alphabetic representation of a chromatic scale, major and minor chords and identifying piano keys associated with a selected musical key as described in Claim 29, further comprising the steps of:

providing a fourth set of openings in said outer sleeve, said fourth set of openings being of a third predetermined shape and disposed upon said representation of a portion of a piano keyboard;  
providing a third set of markings, said third set of markings being disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key;  
aligning said sleeve member with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings; and  
displaying the piano keys associated with the minor chord associated with the selected musical key.

31. (previously presented): A method of displaying an alphabetic representation of a chromatic scale, major and minor chords and identifying piano keys associated with a selected musical key, comprising steps of:

providing an outer sleeve, said outer sleeve being formed of semi-rigid material and having a front surface, a back surface, top and bottom edges, first and second ends and an interior cavity;  
said interior cavity being open at said first and second ends of said outer sleeve;



said outer sleeve having a representation of a portion of a piano keyboard and first and second series of openings penetrating at least one of said front and rear surfaces;

providing a slide member, said slide member having first and second ends and being sized and shaped to fit slidably within said interior cavity;

said slide member having a first portion and a second portion;

marking said first portion with alphabetic representations, said representations being sized and shaped to be visible through said first set of openings in said outer sleeve as said slide member is moved through said outer sleeve;

said alphabetic representations illustrating a selected musical key, a chromatic scale, a major chord and a minor chord associated with said musical key;

providing said second portion with a first series of markings, said first markings being sized and shaped to be visible through said second set of openings in said outer sleeve as said slide member is moved through said outer sleeve;

said first markings indicating piano keys associated with the chromatic scale associated with said selected musical key; said first set of markings being in a first predetermined color

moving said slide member within said inner cavity of said outer sleeve to align one of the first series of openings in the outer sleeve with one of the alphabetic representations illustrating a selected musical key;

displaying the alphabetic representations for each note of the chromatic scale as well as major and minor chords associated with that selected musical key through the first series of openings;

displaying the first markings indicating the piano keys associated with the chromatic scale will be visible through the second set of openings;

providing a third set of openings in said outer sleeve, said third set of openings being disposed upon said representation of a portion of a piano keyboard;

and

providing a second set of markings, said second set of markings being of a second predetermined color and being disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a major chord for a selected key;

aligning said sleeve member with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings; and

displaying the piano keys associated with the major chord associated with the selected musical key.

32. (currently amended): A method of displaying an alphabetic representation of a chromatic scale, major and minor chords and identifying piano keys associated with a selected musical key as described in Claim ~~[[33]]~~ 31, further comprising the steps of:

providing a fourth set of openings in said outer sleeve, said fourth set of openings being disposed upon said representation of a portion of a piano keyboard;

providing a third set of markings, said third set of markings being of a third predetermined color and disposed upon said second portion of said slide member and positioned so as to indicate the piano keys associated with a minor chord for a selected key;

aligning said sleeve member with the outer sleeve so that said alphabetic representation associated with the selected key is visible through one of the first set of openings; and

displaying the piano keys associated with the minor chord associated with the selected musical key.